

## Solving Absolute-Value Inequalities

### 1 Absolute Value

**Definition 1.1** (Absolute Value). For any real number  $x$ , the absolute value of  $x$ , denoted  $|x|$ , is defined as follows:

$$|x| = \begin{cases} -x, & x < 0 \\ x, & x \geq 0 \end{cases}$$

From the definition, the absolute value  $|x|$  can be viewed as “the distance of  $x$  from zero” on the number line. E.g.

- “Equality”: Both  $-3$  and  $3$  are three units from zero. This implies  $|-3| = |3| = 3$ .
- “Less than”: The solution to  $|x| < 3$  consists of the points that are less than three units away from zero, i.e.

$$-3 < x < 3.$$

The solution set to  $|x| \leq 3$  includes the solutions to  $|x| < 3$  and  $x = -3, 3$ .

- “Greater than”: The solution to  $|x| > 3$  consists of the points that satisfy either one of the following two inequalities

$$x < -3 \quad \text{or} \quad x > 3.$$

The solution set to  $|x| \geq 3$  includes the solutions to  $|x| > 3$  and  $x = -3, 3$ .

**Theorem 1.1** (Properties of Absolute-Value Inequalities). Let  $x$  be a real number and  $a$  be a positive real number.

- (1)  $|x| < a$  if and only if  $-a < x < a$ .
- (2)  $|x| \leq a$  if and only if  $-a \leq x \leq a$ .
- (3)  $|x| > a$  if and only if  $x < -a$  or  $x > a$ .
- (4)  $|x| \geq a$  if and only if  $x \leq -a$  or  $x \geq a$ .

**Example 1.1.** Find the solution set for each of the following inequalities.

1.  $|x + 1| \leq -5$

2.  $|2x - 3| > -5$

3.  $|x + 1| \leq 5$

4.  $|2x - 3| > 5$

## 2 Properties of Absolute-Value Inequities

**Theorem 2.1** (Properties of Absolute-Value Inequities). Let  $x$  and  $y$  be real numbers.

(1) If  $x \neq 0$ , then  $|x| > 0$ .

(2)  $|x| = 0$  if and only  $x = 0$

(3)  $|-x| = |x|$ ,  $|x| \geq |x|$ ,  $|x| \leq |x|$

(4)  $-|x| \leq x \leq |x|$

(5)  $|x + y| \leq |x| + |y|$

(6)  $|x - y| \leq |x| + |y|$

(7)  $||x| - |y|| \leq |x - y|$

(8)  $|xy| = |x||y|$

(9)  $\left|\frac{x}{y}\right| = \frac{|x|}{|y|}$

(10)  $|x| < |y|$  if and only if  $x^2 < y^2$ ,  $|x| \leq |y|$  if and only if  $x^2 \leq y^2$

(11)  $|x|^2 = x^2$

**Example 2.1.** Let  $x$  and  $y$  be real numbers. Prove that if  $|x| < 3$  and  $y > 0$ ,  $|x + y| < y + 3$ .

**Example 2.2.** Let  $x$  be any real number with  $|x| < 3$ . Prove that  $|x^2 - 1| < 4|x + 1|$ .

**Example 2.3.** Let  $x$  and  $y$  be positive real numbers. Show that if  $|x + 1| < x + y$ , then

$$1 - y < \frac{y^2 - 1}{2x}.$$

**Example 2.4.** Find the solution set for the inequality:

$$2 < |2x - 1| \leq 5.$$

**Example 2.5.** Find the solution set for the inequality:

$$|x + 2| \leq |2x + 3|.$$

**Example 2.6.** Find the solution set for the inequality:

$$|x + 5| \geq 3 + |x|.$$

**Example 2.7.** Find the solution set for following inequality.

$$|x^2 + x - 6| < 6$$

**Example 2.8.** Find the solution set for following inequality.

$$\frac{x^2}{|x| - 1} \leq |x + 1|$$